

2021 Processing Tomato Season
PTAB Analysis FINAL 2021 - Statewide by Variety



Variety Name	FINAL 2021									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
6428, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	32,234	0	2.7	3.6	1.4	21.85	1.9	4.88	4.47
1662, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	24,180	0	2.2	4.7	1.3	22.01	1.4	5.10	4.45
58841, HM	28	0	8.8	8.5	5.3	21.43	1.1	4.87	4.33	16,795	0	1.2	1.7	0.7	21.19	0.7	5.23	4.38
4707, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	14,842	0	1.3	3.1	1.2	22.72	0.9	4.98	4.42
273, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	13,317	0	0.6	1.9	0.6	20.94	1.5	5.22	4.39
9014, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	13,135	0	2.2	2.5	0.9	20.33	1.1	5.39	4.42
0811, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	12,601	0	1.7	2.4	0.5	20.25	0.7	5.13	4.39
9013, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	12,371	0	2.0	2.9	0.9	20.40	1.3	5.30	4.43
400, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	12,159	0	0.6	1.8	0.8	19.84	1.5	5.27	4.51
4521, HMX 61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	11,545	0	1.1	2.0	0.6	21.17	0.5	5.41	4.38
403, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	11,366	0	0.3	1.3	0.5	21.10	1.8	5.42	4.34
9024, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	11,210	0	1.6	2.6	0.8	21.16	0.6	5.07	4.32
5608, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10,892	0	1.6	1.7	0.5	20.00	1.0	5.23	4.46
9016, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10,410	0	2.6	3.2	0.9	21.98	0.5	4.98	4.36
0319, DRI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	9,227	0	1.3	1.0	0.5	21.26	2.2	5.68	4.38
1428, HZ	36	0	7.0	20.8	2.7	26.86	0.2	4.76	4.12	9,137	0	1.7	4.0	1.3	21.43	0.9	5.04	4.45
9011, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8,852	0	2.0	1.7	0.5	20.28	1.8	5.89	4.41
5522, HM 61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8,703	0	1.0	1.1	0.4	20.13	0.7	5.72	4.36
43, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8,579	0	2.1	1.9	0.5	20.97	1.2	5.42	4.46
9008, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8,199	0	2.3	3.1	0.4	21.18	0.5	5.28	4.34
1082, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	7,914	0	1.2	2.1	0.7	21.12	1.7	5.68	4.36
5235, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	7,010	0	2.1	2.6	0.8	20.31	2.1	5.28	4.43
9023, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	6,667	0	2.1	2.4	0.9	21.79	1.1	5.17	4.39
8163, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	6,578	0	1.3	1.0	0.7	19.73	1.7	5.92	4.48
6402, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	6,347	0	0.9	1.3	0.5	19.92	1.7	5.86	4.48
13, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	6,188	0	0.8	4.8	1.2	21.58	1.3	4.70	4.39
9025, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5,670	0	1.0	1.9	0.7	21.40	0.5	5.21	4.28
6434, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5,365	0	2.3	4.4	1.2	22.07	1.7	5.13	4.45
8011, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5,332	0	1.7	2.2	0.6	20.61	1.4	5.30	4.44
187, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4,840	0	1.3	2.9	0.7	21.21	2.1	4.52	4.44
9012, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4,567	0	2.2	2.5	0.4	20.85	1.8	5.70	4.42
6366, SUN	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4,540	0	0.9	0.7	0.5	20.36	2.3	5.35	4.45
9021, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4,500	0	1.6	3.2	0.8	20.76	1.0	5.27	4.38
16112, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4,251	0	1.2	2.9	0.4	21.07	0.5	5.04	4.41
2401, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4,228	0	2.6	2.1	0.5	21.34	1.1	5.14	4.36
1776, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4,166	0	2.6	2.7	0.6	20.96	0.7	5.55	4.45
3887, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,918	0	2.2	2.9	0.5	21.15	2.0	5.50	4.44
0311, AB	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,856	0	2.1	1.2	0.5	20.55	1.1	5.57	4.36
4909, HMX	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,768	0	1.8	0.9	0.4	21.85	0.8	5.52	4.24
74, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,745	0	2.1	1.6	0.4	20.59	1.4	5.47	4.45

2021 Processing Tomato Season
 PTAB Analysis FINAL 2021 - Statewide by Variety



Variety Name	FINAL 2021									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
413, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,576	0	2.0	3.4	1.2	20.93	1.7	4.75	4.55
6416, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,529	0	0.5	1.7	0.6	21.10	1.4	4.88	4.40
9000, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,512	0	0.3	1.2	0.2	20.91	0.7	4.78	4.44
1996, HZ	1	0	5.0	4.5	10.5	20.50	0.0	6.10	4.30	2,675	0	2.0	2.9	1.0	20.81	0.5	5.18	4.42
7103, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,656	0	0.3	0.9	0.4	20.62	1.4	5.48	4.39
1015, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,567	0	0.6	3.4	0.9	21.16	1.0	4.88	4.43
29814, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,248	0	1.7	3.8	0.7	20.74	0.7	5.35	4.45
5508, HZ	6	0	3.4	15.6	6.6	24.50	0.3	4.07	4.24	2,025	0	1.7	2.9	0.5	21.42	0.4	4.70	4.36
6420, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,019	0	1.4	1.2	0.6	20.73	2.0	5.25	4.53
1310, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,960	0	3.3	7.4	2.0	22.03	1.8	4.86	4.48
1293, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,945	0	1.4	1.5	0.6	20.00	1.6	5.57	4.56
5706, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,858	0	1.3	5.3	1.3	21.65	0.8	4.81	4.40
9018, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,809	0	0.6	1.6	0.7	21.93	0.7	4.64	4.33
58811, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,806	0	1.0	1.5	1.1	21.59	0.9	5.06	4.36
4885, HMX	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,704	0	2.3	1.3	0.3	20.26	0.9	5.54	4.43
5511, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,696	0	1.4	1.2	0.5	20.47	4.0	5.65	4.49
9019, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,622	0	1.0	1.4	0.7	22.27	1.8	5.53	4.28
UNCODED	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,528	0	1.9	3.7	0.8	21.10	1.0	5.20	4.42
6426, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,482	0	0.7	1.8	0.4	20.55	1.4	5.16	4.49
398, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,397	0	1.9	5.5	2.7	20.35	1.8	5.49	4.47
58801, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,347	0	2.3	2.2	0.5	21.95	2.8	5.19	4.49
9905, HARRIS MO	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,298	0	0.7	1.8	1.9	21.27	1.0	4.69	4.44
7885, HMX	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,123	0	1.0	1.2	0.4	20.57	2.1	5.20	4.61
3888, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,104	0	0.9	1.6	0.3	21.30	0.7	5.59	4.45
395, BQ	1	0	16.5	2.0	2.0	22.50	2.5	4.40	4.40	940	0	2.5	5.3	1.8	20.84	2.0	5.09	4.45
8237, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	933	0	0.8	1.6	0.8	21.52	0.6	5.13	4.33
51,BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	876	0	0.8	1.7	0.9	22.22	2.2	5.34	4.36
19406, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	685	0	1.8	1.0	0.6	22.07	1.3	5.47	4.32
6459, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	661	0	1.8	4.8	1.4	20.92	1.2	5.10	4.52
63, NB	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	642	0	1.0	4.0	1.8	20.76	2.5	5.36	4.56
3842, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	639	0	0.6	1.2	0.2	20.81	1.3	5.43	4.38
1422, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	622	0	3.1	9.0	1.9	21.45	2.1	4.84	4.51
391, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	606	0	2.9	3.7	1.0	20.84	2.0	5.05	4.47
1991, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	570	0	3.3	1.9	0.8	20.06	1.1	4.84	4.44
6473, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	556	0	4.8	2.9	1.1	20.67	1.6	4.86	4.43
6407, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	551	0	1.0	0.9	0.6	21.72	0.9	5.51	4.32
198, SSA	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	498	0	0.4	2.8	0.4	20.72	0.8	5.23	4.44
6474, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	498	0	2.1	2.7	0.8	21.55	1.5	5.18	4.43
8504, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	491	0	2.5	5.2	1.2	22.34	1.5	5.04	4.35

2021 Processing Tomato Season
 PTAB Analysis FINAL 2021 - Statewide by Variety



Variety Name	FINAL 2021									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
1994, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	467	0	4.1	2.4	0.5	21.44	0.8	5.22	4.43
6415, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	460	0	0.7	2.1	0.2	21.35	0.7	5.03	4.42
16609, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	454	0	1.5	1.5	0.5	20.65	2.8	5.58	4.45
6475, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	437	0	2.0	2.2	1.1	21.09	1.0	5.02	4.50
HEINZ TRIAL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	411	0	2.3	2.6	0.8	21.64	1.5	5.10	4.44
2756, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	407	0	4.1	5.1	0.5	23.21	0.3	4.61	4.41
9028, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	388	0	2.5	4.2	1.1	21.27	1.6	4.81	4.40
6397, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	386	0	0.5	1.1	0.4	21.87	0.7	5.22	4.40
50, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	339	0	3.1	6.8	2.3	22.35	1.9	4.39	4.35
2010, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	329	0	1.9	4.1	1.2	20.67	1.0	5.15	4.44
9663, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	319	0	1.7	1.2	0.5	19.79	1.7	4.85	4.40
5900, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	318	0	1.2	0.9	0.5	21.76	1.6	5.45	4.36
9027, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	298	0	0.3	1.3	0.4	20.58	0.5	5.51	4.34
5369, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	297	0	0.5	0.9	0.4	20.95	1.0	5.54	4.57
1892, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	289	0	4.9	3.0	1.3	21.53	0.9	4.56	4.47
9032, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	245	0	0.3	2.5	0.9	21.63	1.0	5.31	4.32
9030, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	227	0	1.6	5.7	2.5	21.75	0.7	4.77	4.39
42, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	194	0	2.9	1.3	0.7	20.63	2.8	5.35	4.50
MIX	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	188	0	2.2	1.3	0.4	20.57	1.1	5.32	4.40
1997, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	187	0	1.7	6.4	1.5	22.07	2.0	4.65	4.43
6441, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	182	0	0.7	1.3	0.6	21.12	0.6	4.89	4.39
2016, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	160	0	2.1	2.5	1.1	20.43	0.6	4.91	4.37
6377, SSA	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	156	0	1.3	0.9	0.7	21.98	2.2	5.28	4.39
MISC TRIAL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	142	0	2.0	1.4	0.4	20.99	2.0	5.38	4.46
9007, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	132	0	0.7	4.1	0.6	21.50	1.0	4.67	4.51
141, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	117	0	1.4	6.7	2.0	22.12	5.3	4.41	4.49
78, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	86	0	3.5	4.1	1.3	22.09	0.6	4.62	4.32
4680, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	81	0	1.2	2.2	0.5	20.38	0.8	5.34	4.40
4565, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	79	0	2.2	3.0	0.4	19.76	1.0	5.71	4.43
2015, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	74	0	1.5	2.0	1.3	20.56	0.9	4.94	4.38
88, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	69	0	2.6	2.1	0.7	20.35	2.0	5.00	4.49
2011, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	60	0	1.5	3.1	0.6	22.29	0.8	5.06	4.40
1161, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	58	0	2.0	1.9	1.1	21.73	0.9	5.47	4.42
72, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	53	0	1.4	0.6	0.3	20.57	1.1	5.02	4.44
262, SSA	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	53	0	0.8	1.5	0.2	21.08	1.3	5.45	4.43
4569, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	49	0	2.7	2.2	0.4	19.98	1.6	5.41	4.44
2128, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	44	0	3.1	1.5	0.7	19.41	2.6	5.19	4.58
29812, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	40	0	0.8	1.1	0.2	21.05	1.3	5.47	4.51
6851, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	28	0	1.1	0.4	0.2	19.43	0.5	5.44	4.45

2021 Processing Tomato Season
PTAB Analysis FINAL 2021 - Statewide by Variety



Variety Name	FINAL 2021									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
108, HYPEEL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	27	0	2.7	1.1	0.9	20.85	5.3	5.15	4.59
6848, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	24	0	1.1	0.5	0.2	19.35	0.8	5.53	4.46
2012, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	22	0	1.4	1.6	0.4	21.95	1.3	5.44	4.44
71, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	20	0	1.8	1.5	0.5	19.95	0.9	5.14	4.47
60, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	19	0	2.3	1.8	0.5	19.61	1.1	5.41	4.51
6203 E, FM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	18	0	0.3	0.3	0.0	20.00	2.2	4.56	4.36
431, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10	0	1.7	2.0	1.4	21.50	5.8	5.33	4.47
1311, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10	0	0.4	3.3	0.3	22.15	1.2	6.67	4.35
LYCOMECH UG	5	0	4.4	32.7	4.2	25.60	0.1	4.36	4.25	6	0	4.4	28.0	4.2	25.25	0.3	4.33	4.29
LYKOBOL UG	5	0	7.7	22.7	2.3	25.10	0.3	4.52	4.24	5	0	7.7	22.7	2.3	25.10	0.3	4.52	4.24
UNCODED OTHER	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5	0	2.7	0.9	3.6	19.80	0.9	5.48	4.30
32, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	2.5	3.0	0.7	20.17	4.5	5.57	4.43
6845, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	0.7	0.5	21.33	2.3	5.17	4.57
8268, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.3	5.8	0.3	20.50	2.8	5.67	4.43
10017, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	1.8	1.2	0.7	21.67	1.3	5.43	4.30
169, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	1.0	0.5	1.3	19.25	11.0	4.75	4.65
5234, IVF	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	2.3	0.3	0.0	18.50	2.3	5.55	4.48
48, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	1.5	2.0	19.00	0.0	5.70	4.23
62, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	1.0	2.0	22.00	1.0	6.50	4.41
394, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	10.5	0.5	21.00	1.0	5.40	4.45
1538, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	4.5	0.0	0.0	18.00	0.5	5.10	4.41
4014, UG	1	0	5.0	25.5	1.0	28.00	0.0	4.30	4.17	1	0	5.0	25.5	1.0	28.00	0.0	4.30	4.17
6463, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.0	0.0	0.0	18.50	2.5	5.50	4.60
8232, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.0	0.0	0.0	21.00	1.0	5.40	4.40
STATEWIDE	83	0.0	7.3	16.7	4.0	24.56	0.5	4.71	4.22	429,950	0.0	1.7	2.6	0.8	21.09	1.3	5.23	4.41