

PROCESSING TOMATO 2021 VARIETY GUIDE

Over 45 Years
of Service

... from field to yield

AgSeeds
UNLIMITED



VARIETY	DIS/RES	DAYS	ATTRIBUTES	VINE SIZE	2020 PTAB		2020 LAB		USE
					LOADS	BRIX	BRIX	PPB	
BHN SEED									
BP13	VFFFNptsw	115	FFF	MED	4,933	4.86	4.87	4.01	EARLY
BP51	VFFFNptsw*	115	FFF, EFH	MED/LG	255	5.84	5.31	5.55	EARLY
BP47	VFFFNptsw*	122	FFF, EFH	MED/LG	60	-	5.36	4.46	INTER
BP43	VFFFNptsw*	123	FFF, EFH	LARGE	2,278	5.53	HIGH	THIN	THIN
BP74	VFFFNptsw*	123	FFF, EFH	LARGE	139	-	5.47	4.94	THIN
BP87	VFFFNptsw	116	FFF	MED/LG	-	-	HIGH	INTER	EARLY
BP59	VFFFNptsw*	118	FFF, EFH	MED/LG	-	-	5.35	4.44	INTER
BP86	VFFFNptsw*	119	FFF, EFH	LARGE	-	-	MED	THIN	THIN
BP70	VFFFNptsw	120	FFF	MED/LG	-	-	MED	THIN	PEAR
BP60	VFFFNptsw	122	FFF	MED/LG	-	-	5.28	3.88	PEAR
BP71	VFFFNptsw	122	FFF	MED/LG	-	-	MED	THIN	PEAR
BP72	VFFFNptsw	122	FFF	MED/LG	-	-	MED/HIGH	THIN	PEAR
BP88	VFFFNptsw	122	FFF	MED/LG	-	-	5.20	4.55	PEAR
BP76	VFFFNptsw	123	FFF	LARGE	-	-	MED	INTER	INTER
BP62	VFFFNptsw*	125	FFF, EFH	MED/LG	-	-	5.32	3.35	INTER
BP78	VFFFNptsw*	125	FFF, EFH	LARGE	-	-	5.06	2.57	THICK
BP82	VFFFNptsw*	125	FFF, EFH	LARGE	-	-	5.31	5.16	THIN

HM.CLAUSE / HARRIS MORAN

HM7103	VFFNtsw*	116	EFH	MED/LG	13	-	5.42	5.72	EARLY
HM5900	VFFNtsw	120	-	MED/LG	715	5.31	MED/HIGH	INTER	INTER
HM5522	VFFNtswFr	122	Fr	LARGE	11,518	5.75	5.51	4.39	INTER
HM8163	VFFNtsw	122	-	MED/LG	4,611	5.77	5.58	3.98	PEAR
HM9905	VFFN*	122	EFH	MED	2,516	4.75	MED	INTER	INTER
HM3887	VFFNptsw	123	-	LARGE	5,400	5.53	5.32	4.66	INTER
HM4909	VFFNtswFr	124	Fr	LARGE	2,722	5.51	HIGH	INTER	INTER
HM5235	VFFFNptsw	124	FFF	LARGE	8,843	5.38	5.42	3.87	INTER
HM5369	VFFNtsw	124	-	MED/LG	77	-	5.27	3.51	PEAR
HM5511	VFFFNtswFrMv	124	FFF, Fr	LARGE	31	-	HIGH	THIN	THIN
HM58841	VFFNtsw*	124	EFH	LARGE	8,892	5.12	5.46	3.32	INTER
HM7885	VFN*	124	EFH	MED/LG	2,467	4.99	4.87	2.76	PEAR
HM3888	VFFNptsw*	125	EFH	LARGE	787	5.31	5.40	4.25	INTER
HM4521	VFFNptsw*	125	EFH	LARGE	5,804	5.30	5.31	3.71	INTER
HM4885	VFFNptsw*	125	EFH	MED/LG	5,611	5.04	5.03	2.20	THICK
HM58801	VFFFNtsw*	125	FFF, EFH	LARGE	3,876	5.12	HIGH	INTER	INTER
HM58811	VFFNtsw*	126	EFH	LARGE	3,882	4.96	5.10	2.45	THICK
HM8237	VFFFNtswFrMv*	126	FFF, Fr, EFH	LARGE	-	-	5.32	3.88	INTER
HM8268	VFFFNtsw	123	FFF	MED/LG	-	-	5.42	3.94	INTER
HMC627849	VFFFNptswFrMv*	124	FFF, Fr, EFH	LARGE	-	-	5.45	4.07	INTER
HMX61P6140	VFFNtsw	125	-	LARGE	17	-	5.21	2.69	THICK

HEINZSEED

H1015	VFFNP*	114	EFS™	MED	2,349	5.20	5.24	4.67	EARLY
H1292	VFFNptsw	116	-	MED/LG	118	-	HIGH	INTER	PEAR
H1293	VFFNptsw	120	-	MED/LG	3,795	5.51	5.43	4.65	PEAR
H1776	VFFNptsw*	122	EFS™	MED/LG	1,120	5.31	MED/HIGH	THICK	THICK
H1422	VFFFNPT	125	FFF	LARGE	539	4.82	MED	THICK	THICK
H2401	VFFNP*	125	EFS™	MED/LG	9,630	4.86	5.00	2.26	THICK
H5608	VFFNptsw	121	-	LARGE	11,066	5.14	5.08	2.57	THICK
H1991	VFFFNptsw	124	FFF	MED/LG	214	4.86	5.11	2.75	THICK
H2010	VFFFNtsw*	124	FFF, EFS™	MED/LG	-	-	5.09	3.68	INTER
H1662	VFFFNptswLv	125	FFF, Lv	LARGE	23,619	4.99	5.09	2.41	THICK
H1994	VFFFNtsw*	125	FFF, EFS™	MED	81	-	5.12	2.37	THICK

■ = Adaptive / Block Varieties

V = Verticillium Wilt

FFF = Fusarium Wilt, Races 1, 2 & 3

Fr = Fusarium Crown Rot

N = Root Knot Nem

PTAB BRIX from varieties with more than 200 loads

Lab

Viscosity = Predicted Paste Bostwick (cm)

EARLY = Maturity 117 Days or Less

THIN = Predicted Paste B

Contact your AgSeeds representative for your seed and transplant requirements.

VARIETY	DIS/RES	DAYS	ATTRIBUTES	VINE SIZE	2020 PTAB		2020 LAB		USE
					LOADS	BRIX	BRIX	PPB	
HEINZSEED									
H1996	VFFFNtsw*	125	FFF, EFS™	MED/LG	563	5.02	5.07	2.55	THICK
H1310	VFFFNptsw*	128	FFF, EFS™	LARGE	2,239	4.98	4.98	2.39	THICK
H1428	VFFNtsw*	128	EFS™	MED/LG	14,195	4.83	5.05	1.90	THICK
H5508	VFFNtsw*	128	EFS™	MED	4,354	4.65	4.76	2.28	THICK
H8504	VFFNP*	130	EFS™	MED/LG	1,040	4.68	4.92	2.55	THICK
H9663	VFFNP	130	-	LARGE	501	4.85	MED	THICK	THICK
H2011	VFFFNtsw*	125	FFF, EFS™	MED/LG	-	-	MED	INTER	INTER
H2012	VFFFNtsw*	125	FFF, EFS™	MED/LG	-	-	5.24	3.62	INTER
H2015	VFFFNptsw	125	FFF	MED/LG	-	-	4.83	1.71	THICK
H2016	VFFFNptsw	125	FFF	MED/LG	-	-	4.82	2.07	THICK

NEWBREED

NB63	VFFFNptsw	117	FFF	MED/LG	534	4.93	5.25	4.77	EARLY
NB23	VFFFNtsw	122	FFF	MED/LG	323	5.78	5.54	4.21	INTER

BASF VEGETABLE SEEDS / NUNHEMS

N6416	VFNptsw	108	-	MED	1,524	5.17	MED	INTER	EARLY
N6397	VFFN	116	-	MED/LG	788	5.31	MED/HIGH	THIN	EARLY
N6366	VFFNP	118	-	MED/LG	6,008	5.39	MED/HIGH	THIN	THIN
N6402	VFFNptsw	120	-	MED/LG	5,743	5.76	MED/HIGH	THIN	THIN
N6426	VFFNtswLv*	122	LV, EFH	MED/LG	3,096	5.01	4.96	2.30	THICK
N6415	VFFNptsw*	125	EFH	LARGE	1,739	5.17	5.09	2.38	THICK
N6420	VFFNtsw	125	-	MED/LG	2,180	5.02	4.91	3.61	PEAR
N6460	VFFFNtsw*	125	FFF, EFH	MED/LG	345	5.07	5.22	4.27	INTER
N6441	VFFFNtsw*	126	FFF, EFH	MED/LG	185	-	5.16	3.84	INTER
N6428	VFFFNtsw*	128	FFF, EFH	MED/LG	43,534	4.81	5.07	3.61	INTER
N6434	VFFFNtsw*	128	FFF, EFH	MED/LG	4,082	5.06	5.16	3.86	INTER
N6473	VFFFNtsw*	123	FFF, EFH	MED/LG	-	-	5.31	4.35	INTER
N6474	VFFFNtsw*	128	FFF, EFH	MED/LG	-	-	5.38	4.75	THIN
N6475	VFFFNtsw*	128	FFF, EFH	MED/LG	-	-	4.83	2.16	THICK

ORSETTI SEEDS

BOS3842	VFFNtsw	116	-	MED	191	-	MED/HIGH	INTER	EARLY
BOS811	VFFNtsw	125	-	LARGE	14,682	5.12	MED	THICK	THICK

BAYER CROPSOURCE VEGETABLE SEEDS / SEMINIS

SVTM9018	VFFFNtswFr	112	FFF, Fr	MED	71	-	4.99	5.22	EARLY
SVTM9000	VFFNptswLv	115	Lv	MED/LG	2,566	5.05	4.91	3.35	EARLY
AB0311	VFFNptsw	122	-	LARGE	13,194	5.83	5.59	5.65	THIN
SVTM9011	VFFFNptsw	122	FFF	LARGE	14,285	5.65	5.64	5.49	THIN
SVTM9012	VFFFNptsw	122	FFF	LARGE	1,604	5.46	5.67	5.53	THIN
SV8011TM	VFFNtsw	123	-	LARGE	21,489	5.40	5.29	3.39	INTER
SVTM9013	VFFFNptsw	123	FFF	LARGE	6,797	5.16	HIGH	INTER	INTER
SVTM9014	VFFFNptsw	123	FFF	LARGE	5,534	5.05	5.37	3.30	INTER
SVTM1082	VFFFNptsw	124	FFF	MED/LG	2,875	5.41	HIGH	THIN	THIN
SVTM9007	VFFNptsw	124	-	LARGE	1,436	4.73	5.01	2.05	THICK
DRI319	VFFNptsw	125	-	LARGE	15,402	5.67	5.66	5.54	THIN
SV2756TM	VFFNtsw*	125	EFH	LARGE	7,967	5.09	MED	THICK	THICK
SVTM9008	VFFNptsw*	125	EFH	LARGE	8,736	5.24	5.19	2.57	THICK
SVTM9019	VFFFNptsw*	125	FFF, EFH	LARGE	22	-	5.48	5.33	THIN
SVTM9021	VFFFNptswFr	125	FFF, Fr	MED/LG	-	-	5.26	3.64	INTER
SVTM9023	VFFFNptsw*	125	FFF, EFH	LARGE	404	5.12	5.20	2.76	THICK
SVTM9024	VFFFNptsw*	125	FFF, EFH	LARGE	69	-	5.20	2.64	THICK
SVTM9025	VFFFNptswFr*	125	FFF, Fr, EFH	LARGE	190	-	5.21	2.74	THICK

† = Bacterial Speck, Race 0 TSW = Tomato Spotted Wilt Virus Lv = Powdery Mildew Mv = Tomato Mosaic Virus * = EFS™ / EFH

Data from 28 side by side locations, AgSeeds Quality Lab

Bostwick ≥ 4.70 INTER = Predicted Paste Bostwick 2.81 to 4.69 THICK = Predicted Paste Bostwick ≤ 2.80

VARIETY	DIS/RES	DAYS	ATTRIBUTES	VINE SIZE	2020 PTAB		2020 LAB		USE
					LOADS	BRIX	BRIX	PPB	
BAYER CROSCIENCE VEGETABLE SEEDS / SEMINIS									
SVTM9016	VFFFNPtsw*	128	FFF, EFH	LARGE	8,520	4.89	5.14	2.53	THICK
SVTM9027	VFFFNtswLv	114	FFF, Lv	MED	-	-	5.55	5.62	EARLY
SVTM9032	VFFFNPtswFrLv	114	FFF, Fr, Lv	MED/LG	-	-	MED/HIGH	INTER	EARLY
SVTM9028	VFFFNPtsw	125	FFF	MED/LG	-	-	MED	THICK	THICK
SVTM9030	VFFFNPtsw*	127	FFF, EFH	LARGE	-	-	4.91	1.86	THICK

UNITED GENETICS

UG4014	VFFNPtsw*	117	EFH	MED/LG	1,586	5.00	5.23	4.43	EARLY
UG16609	VFFNPtsw	118	-	MED	868	5.80	HIGH	THIN	THIN
UG9436 Lyco	VFFNP	123	-	MED	13	-	MED	INTER	INTER
UG27713	VFFNPtsw	125	-	MED/LG	292	6.02	HIGH	THIN	THIN
UG29814	VFFFNPtsw*	125	FFF, EFH	MED/LG	1,299	5.61	5.29	3.54	INTER
UG16112	VFFNPtsw*	128	EFH	MED	6,879	5.12	MED	THICK	THICK
UG19406	VFFNP*	128	EFH	LARGE	2,187	5.51	MED/HIGH	INTER	INTER
UG15212	VFFNtsw*	130	EFH	MED	1	-	MED	THICK	THICK
UG1918	VFFFNPtsw	125	FFF	LARGE	-	-	MED/HIGH	INTER	INTER
UG4317	VFFFNPtsw	125	FFF	LARGE	-	-	MED/HIGH	INTER	INTER
UG6517	VFFFNPtsw	125	FFF	MED/LG	-	-	MED/HIGH	INTER	INTER
UG6617	VFFFNPtsw	125	FFF	LARGE	-	-	MED/HIGH	INTER	INTER
UG10017	VFFFNPtsw	126	FFF	LARGE	-	-	MED/HIGH	INTER	INTER
UG10217	VFFFNPtsw	127	FFF	LARGE	-	-	MED/HIGH	INTER	INTER
UG3817	VFFFNPtsw	128	FFF	LARGE	-	-	MED/HIGH	INTER	INTER

SYNGENTA

BQ403	VFFNPtsw	112	-	MED	13,289	5.42	5.35	5.48	EARLY
BQ400	VFFNPtsw	115	-	MED	12,103	5.25	5.09	3.70	EARLY
BQ273	VFFNPtsw	116	-	MED/LG	24,279	5.38	5.10	3.98	EARLY
BQ413	VFFFNtsw	117	FFF	MED/LG	3,015	4.67	4.99	3.51	EARLY
BQ141	VFFFNPtsw	118	FFF	LARGE	669	4.98	4.99	3.25	INTER
BQ393	VFFFNtsw	122	FFF	LARGE	175	-	4.94	5.22	THIN
BQ391	VFFFNtsw	124	FFF	LARGE	-	-	4.99	2.26	THICK
BQ395	VFFFNtsw	124	FFF	LARGE	-	-	4.87	2.28	THICK
BQ398	VFFNtsw	124	-	LARGE	1,928	5.05	MED/HIGH	INTER	INTER
BQ394	VFFFNtsw	124	FFF	LARGE	-	-	4.89	2.33	THICK

 = Adaptive / Block Varieties V = Verticillium Wilt FFF = Fusarium Wilt, Races 1, 2 & 3 Fr = Fusarium Crown Rot
 N = Root Knot Nematode P = Bacterial Speck, Race 0 TSW = Tomato Spotted Wilt Virus Lv = Powdery Mildew Mv = Tomato Mosaic Virus
 * = EFST[™] / EFH PTAB BRIX from varieties with more than 200 loads Lab Data from 28 side by side locations, AgSeeds Quality Lab
 Viscosity = Predicted Paste Bostwick (cm) EARLY = Maturity 117 Days or Less THIN = Predicted Paste Bostwick ≥ 4.70
 INTER = Predicted Paste Bostwick 2.81 to 4.69 THICK = Predicted Paste Bostwick ≤ 2.80



Williams • Woodland • Five Points • Riverdale

Sales Representatives

Administrative / Operations Staff

North		Central	
Ken English	(530) 304-3927	Daron Spears	(209) 988-7772
Scott Sullivan	(530) 304-2000	Corey Moore	(209) 988-1958
Lance Stevens	(530) 304-8800	South	
Erik Wilson	(530) 624-8924	Tom Marks	(209) 988-3365
Dave Rominger	(530) 304-2276	David Bodine	(559) 285-5162
Brett Mulqueoney	(530) 219-4152	Joe Mouren	(559) 285-0299
Kyle Quinn	(916) 628-0909	Gar Gladders	(559) 363-9443

WOODLAND (530) 666-3361		
28 N. East Street, Woodland, CA 95776		
Daniele Ragogna	Tim Misner	Greg Cassel
Rhonda Shuman	Leo Robles	Sam Cheda
Eve Borup	Ross Lopez	Brandon Kuehn
	Mario Rivas	

RIVERDALE (559) 923-1800

John Harris Dean Ferguson Wendy Jenzen
 Rob Kamper Matt Enos